

Verbatim LED Panel 45W 4000K 4000lm 600x600

Productnummer	52440
Algemene gegevens	
Installation Type	Recessed
Behuizingsmateriaal	Aluminum / Polycarbonate Cover
Behuizingskleur	White
Beveiligingsklasse	IP20
Dimbaar	nee
Geometrische gegevens	
Lengte (mm)	595
Hoogte (mm)	13.5 (46.5 with driver)
Breedte (mm)	595
Gewicht (g)	3750
Elektrische gegevens	
Wattage (W)	45
Voltage (V)	100-240
Stroom (mA)	225
Vermogensfactor	0.95
Werkingsfrequentie (Hz):	50/60
Safety Class	Class II
Fotometrische gegevens	
Lichtstroom (lm)	4000
CRI	80
CCT (K)	4000
Lichtrendement (lm/W)	88.89
UGR	>19
Lifespan	
Levensduur (hrs)	50,000
Schakelcyclus	100,000
Mechanische parameters	
Gloeidraadtest	850°C




29/05/2015

Lifestyle image




Technical Drawings



29/05/2015

Energieclassificatie



Verpakking (technisch) Details

Barcode
023942524403

EAN 128
(02)00023942524403(37)02(91)803

EAN 14
50023942524408

**MINIMALE
BESTELHOEVEELHEID**
2



Afmetingen doos (HxBxL)
112 x 672 x 672 (mm)

Dozen/pallet
16

Lagen/pallet
8

Eenheden/pallet
32

Fotometrische diagrammen



29/05/2015